

## CERTIFICATE OF FIRE APPROVAL

This is to certify that

The product detailed below will be accepted for compliance with the applicable Lloyd's Register Rules and Regulations and with the International Convention for the Safety of Life at Sea, (SOLAS), 1974, as amended, for use on ships and offshore installations classed with Lloyd's Register, and for use on ships and offshore installations when authorised by contracting governments to issue the relevant certificates, licences, permits etc.

**Manufacturer** Unifrax Ltd

**Address** Mill Lane  
Rainford  
St Helens  
Merseyside WA11 8LP  
United Kingdom (UK)

**Type** A-60 BULKHEAD

**Description** Fire-Resisting 'A' Class Bulkhead – Type "FyreWrap-LT A60 Restricted Bulkhead"  
(For Restricted Applications Only)

**Specified Standard** IMO Res. MSC.307(88) – (2010 FTP Code) Annex 1 Part 3

The attached Design Appraisal Document forms part of this certificate.

This certificate remains valid unless cancelled or revoked, provided the conditions in the attached Design Appraisal Document are complied with and the equipment remains satisfactory in service.

Date of issue 28 June 2018 Expiry date 27 June 2023

Certificate No. SAS F180156/M1

Signed



Sheet No 1 of 3

Name

K. Taylor  
Surveyor to Lloyd's Register EMEA  
A Member of the Lloyd's Register Group

**Note:**

**This certificate is not valid for equipment, the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify Lloyd's Register of any modification or changes to the equipment in order to obtain a valid Certificate.**

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's  
Register

## Lloyd's Register EMEA

71 Fenchurch Street, London, EC3M 4BS

Telephone 020 7423 2416 Fax 020 7423 2053

Email tass@lr.org

Page
2 of 3
Document number
SAS F180156/M1
Issue number
1

### DESIGN APPRAISAL DOCUMENT

Date 28 June 2018	Quote this reference on all future communications SOUTSO/SFS/TA/KT/WP32328324
----------------------	--

#### ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS F180156/M1

This Design Appraisal Document forms part of the Certificate.

#### APPROVAL DOCUMENTATION

Far East Fire Testing Centre (FEFTC), 511 Chuhua Zhi Lu, Shanghai Chemical Industry Park, Fengxian Sub-Zone, Shanghai, People's Republic of China; Fire Test Report No. FT18016 dated 6<sup>th</sup> February 2018.

#### CONDITIONS OF CERTIFICATION

1. **Restricted Application:** The stiffened, insulated face of the division to be exposed to the fire risk in all cases
2. Consisting of: 4.5mm thick steel bulkhead insulated with one layer of (50mm thick, 48kg/m<sup>3</sup> density) insulation applied transversely over plate and stiffeners, type "FyreWrap LT Blanket" manufactured by Unifrax. Insulation retained to bulkhead and stiffeners with 3mm diameter steel pins and 30mm diameter washers spaced at maximum 350mm from insulation joints, maximum 350mm centres horizontally and vertically
3. Composition and application of insulation material to be maintained in production and use in accordance with originally tested composition formula and method of application, and manufacturer's instructions
4. Production items are to be manufactured in accordance with a quality control system which shall be maintained to ensure that items are of the same standard as the approved prototype



Lloyd's  
Register

## Lloyd's Register EMEA

71 Fenchurch Street, London, EC3M 4BS

Telephone 020 7423 2416 Fax 020 7423 2053

Email tass@lr.org

Page
3 of 3
Document number
SAS F180156/M1
Issue number
1

### DESIGN APPRAISAL DOCUMENT

Date	Quote this reference on all future communications
28 June 2018	SOUTSO/SFS/TA/KT/WP32328324

#### ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS F180156/M1

##### PLACE OF PRODUCTION

Unifrax UK  
Mill Lane  
Rainford  
St Helens  
Merseyside WA11 8LP  
United Kingdom (UK)

Unifrax France  
17, Rue Antoine Durafour  
BP2  
42420 Lorette  
France

Unifrax I LLC  
54401 Smilax Road  
New Carlisle  
Indiana 46552  
United States of America (USA)



Keith Taylor  
Team Lead  
Statutory Fire & Safety  
Southampton Technical Support Office, Marine & Offshore  
Lloyd's Register EMEA

##### Supplementary Type Approval Terms and Conditions

*This certificate and Design Appraisal Document relates to type approval, it certifies that the prototype(s) of the product(s) referred to herein has/have been found to meet the applicable design criteria for the use specified herein, it does not mean or imply approval for any other use, nor approval of any products designed or manufactured otherwise than in strict conformity with the said prototype(s).*



Lloyd's  
Register

Notified Body authorised by the MCA

## USCG-EU MRA



Maritime &  
Coastguard  
Agency

### EC TYPE EXAMINATION (MODULE B) CERTIFICATE


This is to certify that:

LLOYD'S REGISTER VERIFICATION LIMITED (LRV), designated as a "notified body" under the terms of the Merchant Shipping (Marine Equipment) Regulations 2016 (S.I. 2016 No. 1025) did undertake the relevant type approval procedures for the equipment identified below which was found to be in compliance with the essential Fire protection equipment requirements of Marine Equipment Directive (MED) 2014/90/EU and Commission Implementing Regulation (EU) 2018/773 indicating design, construction and performance requirements and testing standards for marine equipment, subject to any conditions in the Design Appraisal Document attached hereto.

<b>Manufacturer (Applicant)</b>	Unifrax Limited
<b>Address</b>	Mill Lane Rainford St. Helens Merseyside, WA11 8LP United Kingdom (UK)
<b>Reference Regulation Item (No &amp; Item designation)</b>	<b>Regulation 2018/773</b> <b>MED/3.11a 'A' AND 'B' CLASS DIVISION, FIRE INTEGRITY - 'A' CLASS DIVISIONS</b>
<b>USCG Category Number</b>	164.108 - 'A' AND 'B' CLASS DIVISION, FIRE INTEGRITY (Bulkhead)
<b>Product Type</b>	<b>A-60 BULKHEAD</b>
<b>Product Description</b>	Fire-Resisting 'A' Class Bulkhead – Type "FyreWrap-LT A60 Restricted Bulkhead" <b>(For Restricted Applications Only)</b>
<b>Specified Standard</b>	IMO Res. MSC.307(88) – (2010 FTP Code) Annex 1 Part 3

The attached Design Appraisal Document (schedule) forms part of this certificate.

This certificate remains valid unless cancelled or revoked, provided the conditions in the attached schedule are complied with and the equipment remains satisfactory in service.

Date of issue	28 June 2018	Expiry date	27 June 2023
Certificate No.	MED 1850118/M1	Signed	
Sheet No	1 of 3	Name	K. Taylor For and on behalf of Lloyd's Register Verification LRV EC Distinguishing No. 0038

Note:

This certificate is issued under the authority of the MCA.

This certificate is not valid for equipment; the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify the notified body named on this certificate of any modification or changes to the equipment in order to obtain a valid Certificate.

USCG-EU MRA - This product has been assigned a U.S. Coast Guard Module B number: USCG Module B number: 164.108/EC0038 to note type approval to Module B only as it pertains to obtaining U. S. Coast Guard approval as allowed by the "Corrigendum to Council Decision 2004/425/EC of 21 April 2004 on the conclusion of an Agreement between the European Community and the United States of America on the mutual recognition of certificates of conformity for marine equipment."

Lloyd's Register Verification Limited (Reg. no. 4929226) is a limited company registered in England and Wales. Registered office: 71 Fenchurch Street, London, EC3M 4BS, UK. A subsidiary of Lloyd's Register Group Limited.

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's  
Register

## Lloyd's Register Verification Limited

71 Fenchurch Street, London, EC3M 4BS

Telephone 020 7423 2416 Fax 020 7423 2053

Email [med@lr.org](mailto:med@lr.org)

Page	2 of 3
Document number	MED 1850118/M1
Issue number	1

### DESIGN APPRAISAL DOCUMENT

Date 28 June 2018	Quote this reference on all future communications SOUTSO/SFS/TA/KT/WP32328324
----------------------	--

#### ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MED 1850118/M1

The undernoted documents have been appraised for compliance with the relevant requirements of International Conventions and European Union legislation for the EC Type Examination of Marine Equipment for use on Merchant Ships Registered in the European Economic Area.

This Design Appraisal Document (schedule) forms part of the Certificate.

#### APPROVAL/EXAMINED DOCUMENTATION

Far East Fire Testing Centre (FEFTC), 511 Chuhua Zhi Lu, Shanghai Chemical Industry Park, Fengxian Sub-Zone, Shanghai, People's Republic of China; Fire Test Report No. FT18016 dated 6<sup>th</sup> February 2018.

#### CONDITIONS OF CERTIFICATION

1. **Restricted Application:** The stiffened, insulated face of the division to be exposed to the fire risk in all cases
2. Consisting of: 4.5mm thick steel bulkhead insulated with one layer of (50mm thick, 48kg/m<sup>3</sup> density) insulation applied transversely over plate and stiffeners, type "FyreWrap LT Blanket" manufactured by Unifrax. Insulation retained to bulkhead and stiffeners with 3mm diameter steel pins and 30mm diameter washers spaced at maximum 350mm from insulation joints, maximum 350mm centres horizontally and vertically
3. Composition and application of insulation material to be maintained in production and use in accordance with originally tested composition formula and method of application, and manufacturer's instructions
4. Production items of the subject equipment are to be manufactured in accordance with either an approved Production Quality Assurance system (Module D), a Product-Quality assurance system (Module E) or a Product Verification Process (Module F). The wheelmark cannot be affixed to the product until a conformity assessment module is in place
5. This product has been assigned a **U.S. Coast Guard Module B number USCG Approval Category 164.108/EC0038** to note type approval to Module B only as it pertains to obtaining U. S. Coast Guard approval as allowed by the "Corrigendum to Council Decision 2004/425/EC of 21 April 2004 on the conclusion of an Agreement between the European Community and the United States of America on the mutual recognition of certificates of conformity for marine equipment"

In those instances where the Notified Body conducting the conformity assessment in accordance with either Module D, E or F of the Marine Equipment Directive is not Lloyd's Register Verification Ltd., such Notified Body would use the above U.S. Coast Guard Module B number to provide the manufacturer with the U.S. Coast Guard approval number by noting it on the Certificate of Conformity, thereby authorizing the manufacturer to mark the product accordingly

Note: For products placed on board U.S. flagged ships there is no declaration of conformity required to meet U.S. Coast Guard requirements

6. Each item, batch or lot of the equipment is to be issued with a "Declaration of Conformity" and have the "Mark of Conformity" affixed after a conformity assessment module is in place



Lloyd's  
Register

## Lloyd's Register Verification Limited

71 Fenchurch Street, London, EC3M 4BS

Telephone 020 7423 2416 Fax 020 7423 2053

Email [med@lr.org](mailto:med@lr.org)

Page 3 of 3
Document number MED 1850118/M1
Issue number 1

### DESIGN APPRAISAL DOCUMENT

Date 28 June 2018	Quote this reference on all future communications SOUTSO/SFS/TA/KT/WP32328324
----------------------	--

#### ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MED 1850118/M1

##### PLACE OF PRODUCTION

Unifrax UK

Mill Lane

Rainford

St Helens

Merseyside WA11 8LP

United Kingdom (UK)

Unifrax France

17, Rue Antoine Durafour

BP2

42420 Lorette

France

Unifrax I LLC

54401 Smilax Road

New Carlisle

Indiana 46552

United States of America (USA)

  
Lloyd's Register Verification Ltd  
Lloyd's Register

Keith Taylor

Team Lead

Statutory Fire & Safety

Southampton Technical Support Office, Marine & Offshore

For and on behalf of Lloyd's Register Verification

**LRV EC Distinguishing No. 0038**